

Fitness to dive

CC_UHMS Oct. 24, 2010

- Fitness for
 - Recreational diving
 - Occupational diving
 - Saturation diving

Fitness to dive

- Cardiac issues
 - Stents
 - Heart attacks
 - Angina
 - Pacemakers
 - Implanted Cardiac Defibrillator (ICD)
 - Anti-coagulants and anti-platelet drugs
 - Warfarin
 - Plavix
 - Abnormal cardiac rhythms

Fitness to dive

- Congenital heart disease
- PFO (patent foramen ovale)
- Aortic aneurysm
- Arterial bypasses
- Carotid stents

Fitness to dive

- Respiratory conditions
 - Asthma
 - COPD
 - Spontaneous pneumothorax

Fitness to dive

- Infection issues
 - HIV
 - Hepatitis
 - Pneumonia

Fitness to dive

- Neurological issues
 - Seizures
 - Tumours
 - Aneurysms
 - Paralysis
 - Neuropathy

Fitness to dive

- Endocrine
 - Diabetes
 - Type 1
 - Type 2
 - Insulin pumps

Fitness to dive

- Psychiatric conditions
 - Depression
 - Anxiety

Fitness to dive

- Prescription medications
 - Anti-depressants
 - Methadone
 - Cardiac medications
 - Beta blockers
 - Nitrates
 - Amiodarone

Fitness to dive

- “Street” drugs
 - Marahujana
 - Cocaine